

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 17.09.2018

Version: 3

Revision: 27.11.2015



### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** *Acrlly Ortho Liquid transparent 500ml*      **REF:** 9002681
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** *self curing resin*
- **1.3 Details of the supplier of the safety data sheet**

<b>Manufacturer/Supplier:</b>	<b>Authorized EU Representative:</b>	<b>Contact :</b>
Henry Schein Inc.	Henry Schein Services GmbH	cbdeurope@henryschein.com
135 Duryea Road	Monzastrasse 2a	www.henryscheinbrand.com
Melville, NY 11747 / USA	63225 Langen / Germany	Tel: +49 6103 757 5000
- **Responsible for the Safety Data Sheet:** Regulatory Affairs Europe - [cbdeurope@henryschein.com](mailto:cbdeurope@henryschein.com)
- **1.4 Emergency Number INTERNATIONAL:** +49 (0)6132 84463 - GBK GmbH (24h 7d/w - 365d/a)

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
*Flam. Liq. 2 H225 Highly flammable liquid and vapour.*  
*Skin Irrit. 2 H315 Causes skin irritation.*  
*Skin Sens. 1 H317 May cause an allergic skin reaction.*  
*STOT SE 3 H335 May cause respiratory irritation.*
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**  

GHS02    GHS07
- **Signal word** *Danger*
- **Hazard-determining components of labelling:**  
*methyl methacrylate*  
*tetramethylene dimethacrylate*
- **Hazard statements**  
*H225 Highly flammable liquid and vapour.*  
*H315 Causes skin irritation.*  
*H317 May cause an allergic skin reaction.*  
*H335 May cause respiratory irritation.*
- **Precautionary statements**

<i>P210</i>	<i>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</i>
<i>P241</i>	<i>Use explosion-proof electrical/ventilating/lighting equipment.</i>
<i>P261</i>	<i>Avoid breathing dust/fume/gas/mist/vapours/spray.</i>
<i>P303+P361+P353</i>	<i>IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.</i>
<i>P405</i>	<i>Store locked up.</i>
<i>P501</i>	<i>Dispose of contents/container in accordance with local/regional/national/international regulations.</i>

(Contd. on page 2)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 17.09.2018

Version: 3

Revision: 27.11.2015

Trade name: Acrly Ortho Liquid transparent

(Contd. of page 1)

- Labelling of packages where the contents do not exceed 125 ml
- Hazard pictograms



GHS02 GHS07

- Signal word *Danger*

- Hazard-determining components of labelling:

methyl methacrylate  
tetramethylene dimethacrylate

- Hazard statements

H317 May cause an allergic skin reaction.

- Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves.

P362+P364 Take off contaminated clothing and wash it before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- 2.3 Other hazards

- Results of PBT and vPvB assessment

- PBT: Not applicable.

- vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterisation: Mixtures

- Description: Liquid based on methacryl acid ester, containing an activator.

- Dangerous components:

CAS: 80-62-6 EINECS: 201-297-1	methyl methacrylate ⚠ Flam. Liq. 2, H225; ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	75-100%
CAS: 2082-81-7 EINECS: 218-218-1	tetramethylene dimethacrylate ⚠ Skin Sens. 1B, H317	2.5-10%
CAS: 99-97-8 EINECS: 202-805-4	N,N-dimethyl-p-toluidine ⚠ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; ⚠ STOT RE 2, H373; Aquatic Chronic 3, H412	< 2.5%

- Additional information For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- 4.1 Description of first aid measures

- After inhalation

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

- After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing Do not induce vomiting; call for medical help immediately.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 17.09.2018

Version: 3

Revision: 27.11.2015

**Trade name: Acrly Ortho Liquid transparent**

(Contd. of page 2)

- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### **SECTION 5: Firefighting measures**

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**  
Carbon dioxide  
Fire-extinguishing powder  
Foam  
Water haze
- **For safety reasons unsuitable extinguishing agents** Water with full jet.
- **5.2 Special hazards arising from the substance or mixture** Danger of polymerization.
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**  
Cool endangered receptacles with water spray.  
Collect contaminated fire fighting water separately. It must not enter the sewage system.  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### **SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Ensure adequate ventilation  
Avoid eye and skin contact with the substance.  
Wear protective equipment. Keep unprotected persons away.  
Keep away from ignition sources
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
When pumping out, please ensure grounding.  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about fire - and explosion protection:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Storage between 10 °C and 25 °C.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.
- **7.3 Specific end use(s)** No further relevant information available.

GB

(Contd. on page 4)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.09.2018

Version: 3

Revision: 27.11.2015

Trade name: Acrly Ortho Liquid transparent

(Contd. of page 3)

## SECTION 8: Exposure controls/personal protection

· **Additional information about design of technical facilities:** No further data; see item 7.

### · 8.1 Control parameters

· **Ingredients with limit values that require monitoring at the workplace:**

#### 80-62-6 methyl methacrylate

WEL	Short-term value: 416 mg/m <sup>3</sup> , 100 ppm
	Long-term value: 208 mg/m <sup>3</sup> , 50 ppm

· **Additional information:** The lists valid during the making were used as basis.

### · 8.2 Exposure controls

#### · Personal protective equipment

#### · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

#### · Respiratory protection:

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation.

Filter A

#### · Protection of hands: Protective gloves.

#### · Material of gloves

Butyl rubber, BR

Nitrile rubber, NBR

#### · Penetration time of glove material

0,3 mm

Penetration time 60 min.

0,11 mm

Penetration time 10 min.

#### · Eye protection: Tightly sealed goggles.

#### · Body protection: Protective work clothing.

## SECTION 9: Physical and chemical properties

### · 9.1 Information on basic physical and chemical properties

#### · General Information

#### · Appearance:

Form: Fluid

Colour: Colourless

· Odour: Characteristic

· Odour threshold: Not determined.

· pH-value: Not determined

#### · Change in condition

Melting point/freezing point: undetermined

Initial boiling point and boiling range: 101 °C

· Flash point: 10 °C

· Flammability (solid, gaseous) Not applicable.

· Ignition temperature: 430 °C

· Decomposition temperature: Not determined.

(Contd. on page 5)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.09.2018

Version: 3

Revision: 27.11.2015

**Trade name: Acrly Ortho Liquid transparent**

(Contd. of page 5)

- **STOT-single exposure**  
May cause respiratory irritation  
May cause respiratory irritation.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Type of test** **Effective concentration** **Method** **Assessment**  
 Toxicity to fish: LC-50: >79 mg/l OECD 203  
 (MMA) NOEC: 40 mg/l ISO 7346  
 Time: 96 h EEC84  
 Species:  
 Oncorhynchus mykiss  
  
 Toxicity to Micro- ECO: 100 mg/l starting inhibition  
 Organisms Species: of cell growth  
 (MMA) Pseudomonas putida
- **12.2 Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Components:**  
 methyl methacrylate Biodegradability: 30,7 %  
 Time: 28 d  
 Method: OECD 301 C  
 Valuation: difficult to decompose
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
 Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.  
 Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
 Must be specially treated adhering to official regulations.  
 Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- **European waste catalogue**

07 01 04*	other organic solvents, washing liquids and mother liquors
-----------	--

- **Uncleaned packaging:**
- **Recommendation:**  
 Packagings that may not be cleansed are to be disposed of in the same manner as the product.

GB

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 17.09.2018



Version: 3

Revision: 27.11.2015

Trade name: Acrly Ortho Liquid transparent

(Contd. of page 6)

**SECTION 14: Transport information**

· 14.1 UN-Number · ADR, IMDG, IATA	UN1247
· 14.2 UN proper shipping name · ADR · IMDG, IATA	1247 METHYL METHACRYLATE MONOMER, STABILIZED METHYL METHACRYLATE MONOMER, STABILIZED
· 14.3 Transport hazard class(es) · ADR	
	
· Class · Label	3 (F1) Flammable liquids. 3
· IMDG, IATA	
	
· Class · Label	3 Flammable liquids. 3
· 14.4 Packing group · ADR, IMDG, IATA	II
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user · Danger code (Kemler): · EMS Number: · Stowage Category · Stowage Code	Warning: Flammable liquids. 33 F-E,S-D B SW2 Clear of living quarters.
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Transport category · Tunnel restriction code	2 D/E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1247 METHYL METHACRYLATE MONOMER, STABILIZED, 3, II

GB

(Contd. on page 8)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 17.09.2018

Version: 3

Revision: 27.11.2015

Trade name: Acrly Ortho Liquid transparent

(Contd. of page 7)

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Directive 2012/18/EU
- Named dangerous substances - ANNEX I None of the ingredients is listed.
- Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

#### National regulations

#### Technical instructions (air):

Class	Share in %
I	< 2,5
III	2,5-10
NK	75-100

- Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

- H225 Highly flammable liquid and vapour.
- H301 Toxic if swallowed.
- H311 Toxic in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H331 Toxic if inhaled.
- H335 May cause respiratory irritation.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H412 Harmful to aquatic life with long lasting effects.

#### Department issuing SDS: Regulatory Affairs Europe

Contact: [cbdeurope@henryschein.com](mailto:cbdeurope@henryschein.com)

#### Abbreviations and acronyms:

- RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
- IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
- ICAO: International Civil Aviation Organisation
- ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)
- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Flam. Liq. 2: Flammable liquids – Category 2
- Acute Tox. 3: Acute toxicity – Category 3
- Skin Irrit. 2: Skin corrosion/irritation – Category 2
- Skin Sens. 1: Skin sensitisation – Category 1
- Skin Sens. 1B: Skin sensitisation – Category 1B
- STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
- STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

(Contd. on page 9)



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 17.09.2018

Version: 3

Revision: 27.11.2015

**Trade name: Acrly Ortho Liquid transparent**

*Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3*

(Contd. of page 8)

· **\* Data compared to the previous version altered.**

GB