

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.  
Issue date: 2/10/2025 Revision date: 2/10/2025 Version: 1.00

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : Calcium Hydroxide, 2g with 20 tips  
Product code : 9003663

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Industrial use  
Use of the substance/mixture : Temporary filling material for infected root canals

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturer/Supplier

Henry Schein Inc.  
135 Duryea Road  
Melville, NY 11747  
USA

##### Importer

Henry Schein UK Holdings Limited  
Medcare House  
Centurion Close, Gillingham Business Park, Gillingham,  
Kent, United Kingdom, ME8 0SB  
Tel No.: 01634 878750

##### Email competent person

sds@kft.de

#### 1.4. Emergency telephone number

Emergency number : +49 (0)6132 84463 - GBK GmbH (24h 7d/w - 365d/a)

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Health Service (NHS) England / Scotland / Wales / Northern Ireland	-	England / Scotland: 111 Wales: 111 or 0845 46 47 Northern Ireland: call your local General Practitioner. For life-threatening emergencies: call 999 for an ambulance.	24 h medical helpline for general public

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to GB CLP (SI 2019:720 as amended)

Skin corrosion/irritation, Category 1 H314  
Serious eye damage/eye irritation, Category 1 H318  
Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage. Causes serious eye damage.

#### 2.2. Label elements

##### Labelling according to GB CLP (SI 2019:720 as amended)

Hazard pictograms (GB CLP) :



GHS05

# Calcium Hydroxide, 2g with 20 tips

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Signal word (GB CLP)	: Danger
Hazard statements (GB CLP)	: H314 - Causes severe skin burns and eye damage.
Precautionary statements (GB CLP)	: P260 - Do not breathe dust, fume, gas, mist, vapours or spray. P264 - Wash hands, forearms and face thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective gloves, protective clothing, eye protection, face protection. P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor. P321 - Specific treatment (see supplemental first aid instruction on this label). P363 - Wash contaminated clothing before reuse. P501 - Dispose of contents and container to a hazardous or special waste collection point, in accordance with local, regional, national and international regulations.

### 2.3. Other hazards

Component	
Substance(s) not meeting the PBT criteria of UK REACH regulation, in accordance with Annex XIII	calcium dihydroxide (1305-62-0), Barium sulfate (7727-43-7)
Substance(s) not meeting the vPvB criteria of UK REACH regulation, in accordance with Annex XIII	calcium dihydroxide (1305-62-0), Barium sulfate (7727-43-7)
Component	
Substance(s) not included in the list established in accordance with Article 59(1) of UK REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in GB BPR and GB PPP	Barium sulfate(7727-43-7), calcium dihydroxide(1305-62-0)

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to GB CLP (SI 2019:720 as amended)
Barium sulfate	CAS-No.: 7727-43-7 EC-No.: 231-784-4	< 35	Not classified
calcium dihydroxide	CAS-No.: 1305-62-0 EC-No.: 215-137-3	< 30	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.

# Calcium Hydroxide, 2g with 20 tips

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
- First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects after skin contact : Burns.
- Symptoms/effects after eye contact : Serious damage to eyes.
- Symptoms/effects after ingestion : Burns.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. Water spray. Dry powder. Foam. Carbon dioxide.
- Unsuitable extinguishing media : Strong water jet.

### 5.2. Special hazards arising from the substance or mixture

- Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
- Other information : Do not allow run-off from fire fighting to enter drains or water courses. Disposal must be done according to official regulations.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

- Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray.

#### 6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid sub-soil penetration. Prevent entry to sewers and public waters.

### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Take up liquid spill into absorbent material. Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal.
- Other information : Disposal must be done according to official regulations.

### 6.4. Reference to other sections

Information for safe handling. See section 7. Concerning personal protective equipment to use, see section 8. For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.
- Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

# Calcium Hydroxide, 2g with 20 tips

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.  
Information about storage in one common storage facility : Keep away from food, drink and animal feeding stuffs.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

calcium dihydroxide (1305-62-0)	
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	Calcium hydroxide
WEL TWA (OEL TWA)	5 mg/m <sup>3</sup> 1 mg/m <sup>3</sup> Respirable fraction
WEL STEL (OEL STEL)	4 mg/m <sup>3</sup> Respirable fraction
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
<b>Barium sulfate (7727-43-7)</b>	
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	Barium sulphate
WEL TWA (OEL TWA)	10 mg/m <sup>3</sup> inhalable dust 4 mg/m <sup>3</sup> respirable dust
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

calcium dihydroxide (1305-62-0)	
<b>DNEL/DMEL (Workers)</b>	
Acute - local effects, inhalation	4 mg/m <sup>3</sup>
Long-term - local effects, inhalation	1 mg/m <sup>3</sup>
<b>DNEL/DMEL (General population)</b>	
Acute - local effects, inhalation	4 mg/m <sup>3</sup>
Long-term - local effects, inhalation	1 mg/m <sup>3</sup>
<b>PNEC (Water)</b>	
PNEC aqua (freshwater)	0.49 mg/l
PNEC aqua (marine water)	0.32 mg/l
PNEC aqua (intermittent, freshwater)	0.49 mg/l
<b>PNEC (Soil)</b>	
PNEC soil	1080 mg/kg dwt

# Calcium Hydroxide, 2g with 20 tips

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

<b>PNEC (STP)</b>	
PNEC sewage treatment plant	3 mg/l
<b>Barium sulfate (7727-43-7)</b>	
<b>DNEL/DMEL (Workers)</b>	
Long-term - systemic effects, inhalation	10 mg/m <sup>3</sup>
Long-term - local effects, inhalation	10 mg/m <sup>3</sup>
<b>DNEL/DMEL (General population)</b>	
Long-term - systemic effects, oral	13000 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	10 mg/m <sup>3</sup>
<b>PNEC (Water)</b>	
PNEC aqua (freshwater)	0.115 mg/l
<b>PNEC (Sediment)</b>	
PNEC sediment (freshwater)	600.4 mg/kg dwt
<b>PNEC (Soil)</b>	
PNEC soil	207.7 mg/kg dwt
<b>PNEC (STP)</b>	
PNEC sewage treatment plant	62.2 mg/l

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

### 8.2.2. Personal protection equipment

#### 8.2.2.1. Eye and face protection

##### Eye protection:

Wear closed safety glasses. ISO 16321-1

#### 8.2.2.2. Skin protection

##### Skin and body protection:

Wear suitable protective clothing. EN ISO 13688. EN 13034

##### Hand protection:

Chemically resistant protective gloves. ISO 374-1. Nitrile rubber. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer. Gloves must be replaced after each use and whenever signs of wear or perforation appear

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Breathing apparatus with filter. P2. EN 143. . Breathing equipment is only to be used in order to handle the residual risk of short term jobs if all other risk minimizing measures have been carried out e.g. retention and/or local exhaust

#### 8.2.2.4. Thermal hazards

No additional information available

# Calcium Hydroxide, 2g with 20 tips

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

#### Other information:

Do not eat, drink or smoke when using this product. Avoid contact with skin and eyes. Always wash hands after handling the product.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Paste.
Colour	: Grey. white.
Odour	: odourless.
Odour threshold	: Not available
pH	: 12 – 13
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flash point	: Not available
Explosive limits	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Relative vapour density at 20°C	: Not available
Relative density	: Not available
Density	: Not available
Solubility	: Soluble.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
Viscosity, kinematic	: Not available
Explosive properties	: Product is not explosive
Oxidising properties	: Non oxidizing.

### 9.2. Other information

Particle characteristics	: Not applicable
--------------------------	------------------

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Acid conditions. Protect from heat and direct sunlight.

### 10.5. Incompatible materials

Strong acids. Metals.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Calcium Hydroxide, 2g with 20 tips

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)
Skin corrosion/irritation	: Causes severe skin burns. pH: 12 – 13
Serious eye damage/irritation	: Causes serious eye damage. pH: 12 – 13
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met).

#### calcium dihydroxide (1305-62-0)

STOT-single exposure	May cause respiratory irritation.
----------------------	-----------------------------------

STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)

#### 11.2. Information on other hazards

No additional information available

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general	: Before neutralisation, the product may represent a danger to aquatic organisms.
Hazardous to the aquatic environment, short-term (acute)	: Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic)	: Not classified (Based on available data, the classification criteria are not met)

#### 12.2. Persistence and degradability

##### Calcium Hydroxide, 2g with 20 tips

Persistence and degradability	No additional information available.
-------------------------------	--------------------------------------

##### calcium dihydroxide (1305-62-0)

Persistence and degradability	Not applicable for inorganic substances.
-------------------------------	--

##### Barium sulfate (7727-43-7)

Persistence and degradability	Not applicable.
-------------------------------	-----------------

#### 12.3. Bioaccumulative potential

##### calcium dihydroxide (1305-62-0)

Bioaccumulative potential	Not applicable for inorganic substances.
---------------------------	--

#### 12.4. Mobility in soil

##### calcium dihydroxide (1305-62-0)

Ecology - soil	Expected to be highly mobile in soil.
----------------	---------------------------------------

# Calcium Hydroxide, 2g with 20 tips

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

### 12.5. Results of PBT and vPvB assessment

Component	
calcium dihydroxide (1305-62-0)	This product does not contain substances at $\geq 0.1\%$ that meet the PBT criteria of UK REACH regulation, annex XIII This product does not contain substances at $\geq 0.1\%$ that meet the vPvB criteria of UK REACH regulation, annex XIII
Barium sulfate (7727-43-7)	This product does not contain substances at $\geq 0.1\%$ that meet the PBT criteria of UK REACH regulation, annex XIII This product does not contain substances at $\geq 0.1\%$ that meet the vPvB criteria of UK REACH regulation, annex XIII

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

- Waste treatment methods : Disposal must be done according to official regulations. European waste catalogue. Do not discharge into drains or the environment. Do not dispose of with domestic waste.
- Product/Packaging disposal recommendations : Recycle or dispose of in compliance with current legislation.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
UN 3266	UN 3266	UN 3266	UN 3266	UN 3266
<b>14.2. UN proper shipping name</b>				
CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (calcium dihydroxide)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (calcium dihydroxide)	Corrosive liquid, basic, inorganic, n.o.s. (calcium dihydroxide)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (calcium dihydroxide)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (calcium dihydroxide)
<b>Transport document description</b>				
UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (calcium dihydroxide), 8, III, (E)	UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (calcium dihydroxide), 8, III	UN 3266 Corrosive liquid, basic, inorganic, n.o.s. (calcium dihydroxide), 8, III	UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (calcium dihydroxide), 8, III	UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (calcium dihydroxide), 8, III
<b>14.3. Transport hazard class(es)</b>				
8	8	8	8	8
				
<b>14.4. Packing group</b>				
III	III	III	III	III

# Calcium Hydroxide, 2g with 20 tips

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

### 14.5. Environmental hazards

Dangerous for the environment: False	Dangerous for the environment: False Marine pollutant: No	Dangerous for the environment: False	Dangerous for the environment: False	Dangerous for the environment: False
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR) : C5  
Special provisions (ADR) : 274  
Limited quantities (ADR) : 5I  
Excepted quantities (ADR) : E1  
Transport category (ADR) : 3  
Hazard identification number (Kemler No.) : 80  
Orange plates :



Tunnel restriction code (ADR) : E  
EAC code : 2X

#### Transport by sea

Special provisions (IMDG) : 223, 274  
Limited quantities (IMDG) : 5 L  
Excepted quantities (IMDG) : E1  
EmS-No. (Fire) : F-A  
EmS-No. (Spillage) : S-B  
Stowage and handling (IMDG) : SW2  
Segregation (IMDG) : SGG18, SG35

#### Air transport

PCA Excepted quantities (IATA) : E1  
PCA Limited quantities (IATA) : Y841  
PCA limited quantity max net quantity (IATA) : 1L  
PCA packing instructions (IATA) : 852  
PCA max net quantity (IATA) : 5L  
CAO max net quantity (IATA) : 60L  
Special provisions (IATA) : A3, A803

#### Inland waterway transport

Classification code (ADN) : C5  
Special provisions (ADN) : 274  
Limited quantities (ADN) : 5 L  
Excepted quantities (ADN) : E1  
Carriage permitted (ADN) : T

#### Rail transport

Classification code (RID) : C5  
Special provisions (RID) : 274  
Limited quantities (RID) : 5L  
Excepted quantities (RID) : E1  
Transport category (RID) : 3  
Hazard identification number (RID) : 80

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# Calcium Hydroxide, 2g with 20 tips

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

###### UK REACH Annex XVII (Restriction List)

UK restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	Calcium Hydroxide, 2g with 20 tips	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

###### UK REACH Annex XIV (Authorisation List)

This product contains no substance(s) listed on UK REACH Annex XIV (Authorisation List) equal to or above the 0.1% level of disclosure

###### UK REACH Candidate List (SVHC)

Contains no substance(s) listed on the UK REACH Candidate List

###### GB PIC regulation (Prior Informed Consent)

This product contains no substance(s) listed on the GB PIC List equal to or above the level of SDS disclosure

###### POP Regulation (Persistent Organic Pollutants)

This product contains no substance(s) listed on the GB POP List equal to or above the level of SDS disclosure

###### Ozone Regulation (S.I. No. 168 of 2015)

This product contains no substance(s) listed on the GB Ozone Depletion List equal to or above the level of SDS disclosure

###### Control of Poisons and Explosives Precursors Act

This product contains no substance(s) listed as a reportable poison on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This product contains no substance(s) listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This product contains no substance(s) listed as a reportable explosive precursor on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This substance is not listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations

###### Drug Precursors Regulation (273/2004)

This product contains no substance(s) listed on the GB Drug Precursors List equal to or above the level of SDS disclosure

##### 15.1.2. Other information

National regulations

: Take note of Directive 94/33/EC on the protection of young people at work.

Other information

: Regulation (EU) 2017/745 of the European Parliament and of the Council of 5 April 2017 on medical devices, amending Directive 2001/83/EC, Regulation (EC) No 178/2002 and Regulation (EC) No 1223/2009 and repealing Council Directives 90/385/EEC and 93/42/EEC.

#### 15.2. Chemical safety assessment

No additional information available

### SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor

# Calcium Hydroxide, 2g with 20 tips

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TLM	Median Tolerance Limit
vPvB	Very Persistent and Very Bioaccumulative

Data sources : MSDSs of the suppliers.  
Department issuing data specification sheet: : KFT Chemieservice GmbH  
Im Leuschnerpark 3  
D-64347 Griesheim  
Phone: +49 69 305 34 700  
Fax: +49 69 305 86 500  
SDS Service: +49 69 305 34 740  
Contact person : Saskia Vetter

<b>Full text of H- and EUH-statements:</b>	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2

# Calcium Hydroxide, 2g with 20 tips

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
-----------	--

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Skin Corr. 1	H314	On basis of test data
Eye Dam. 1	H318	On basis of test data

KFT SDS UK 06 - Version 24.1

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.