Printing date 30.03.2019 Version number 2 Revision: 30.03.2019 SECTION 1: Identification of the substance/mixture and of the company/ undertaking · 1.1 Product identifier • Trade name: Maxima Oil Spray REF 9001570 · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Lubricant • 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Authorized EU Representative: Contact : Henry Schein Inc. Henry Schein Services GmbH cbdeurope@henryschein.com www.henryscheinbrand.com 135 Duryea Road Monzastrasse 2a Tel: +49 6103 757 5000 Melville, NY 11747 / USA 63225 Langen / Germany Responsible for the Safety Data Sheet: Regulatory Affairs Europe - cbdeurope@henryschein.com • **1.4 Emergency telephone number**INTERNATIONAL: +49 (0)6132 84463 -*GBK GmbH (24h 7d/w - 365d/a)* **SECTION 2: Hazards identification** - 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 GHS02 flame Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS02 · Signal word Danger · Hazard statements H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated. · Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

- *P211* Do not spray on an open flame or other ignition source.
- *P251* Do not pierce or burn, even after use.
- *P271* Use only outdoors or in a well-ventilated area.

(Contd. on page 2)

Printing date 30.03.2019

Version number 2

Revision: 30.03.2019

#### Trade name: Maxima Oil Spray

(Contd. of page 1)

*P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.* 

• Additional information:

Keep out of the reach of children

· 2.3 Other hazards

· Results of PBT and vPvB assessment

• *PBT:* Not applicable.

• **vPvB:** Not applicable.

### **SECTION 3: Composition/information on ingredients**

· 3.2 Chemical characterisation: Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:				
CAS: 74-98-6	propane	🚸 Flam. Gas 1, H220; Press. Gas C, H280	50-100%	
EINECS: 200-827-9				
CAS: 106-97-8	butane	🚸 Flam. Gas 1, H220; Press. Gas C, H280	25-50%	
EINECS: 203-448-7				
			17	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

• After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact: Generally the product does not irritate the skin.

• After eye contact: Rinse opened eye for several minutes under running water.

• After swallowing: If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

• 5.1 Extinguishing media

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters

· Protective equipment: No special measures required.

(Contd. on page 3)

Printing date 30.03.2019

Version number 2

Revision: 30.03.2019

Trade name: Maxima Oil Spray

(Contd. of page 2)

### **SECTION 6:** Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling Open and handle receptacle with care.

#### Information about fire - and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles:

Store in a cool location.

Store only in the original receptacle.

Observe official regulations on storing packagings with pressurised containers.

· Information about storage in one common storage facility: Not required.

- · Further information about storage conditions:
- Keep container tightly sealed.

Do not seal receptacle gas tight.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

• 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

106-97-8 butane

WEL Short-term value: 1810 mg/m<sup>3</sup>, 750 ppm

Long-term value:  $1450 \text{ mg/m}^3$ , 600 ppm

Carc (if more than 0.1% of buta-1.3-diene)

(Contd. on page 4)

GB -

Version number 2

Revision: 30.03.2019

Trade name: Maxima Oil Spray

Printing date 30.03.2019

	(Contd. of page 3
A	<i>dditional information:</i> The lists valid during the making were used as basis.
8.	2 Exposure controls
	ersonal protective equipment:
G	eneral protective and hygienic measures: Wash hands before breaks and at the end of work espiratory protection:
	se suitable respiratory protective device in case of insufficient ventilation.
	rotection of hands:
	election of the glove material on consideration of the penetration times, rates of diffusion an
	ne degradation
	laterial of gloves
	he selection of the suitable gloves does not only depend on the material, but also on furthe
т pi	arks of quality and varies from manufacturer to manufacturer. As the product is reparation of several substances, the resistance of the glove material can not be calculated i
a	dvance and has therefore to be checked prior to the application.
	enetration time of glove material
	he exact break through time has to be found out by the manufacturer of the protective glove
	nd has to be observed.
	or the permanent contact in work areas without heightened risk of injury (e.g. Laboratory
	loves made of the following material are suitable:
	ubber gloves
	for the permanent contact gloves made of the following materials are suitable:
	eoprene gloves
	s protection from splashes gloves made of the following materials are suitable:
	utyl rubber, BR
	itrile rubber, NBR
	latural rubber, NR
Ľ	ye protection:
	Tightly sealed goggles
~	
S	ECTION 9: Physical and chemical properties

- $\cdot$  9.1 Information on basic physical and chemical properties
- General Information
- · Appearance:
- Form:
- Colour: • Odour:
- Odour threshold:

Aerosol According to product specification Characteristic Not determined.

· pH-value:

*Not applicable* 

(Contd. on page 5)

Printing date 30.03.2019

Version number 2

Revision: 30.03.2019

Trade name: Maxima Oil Spray

	(Contd. of page 4
Change in condition Melting point/freezing point: Initial boiling point and boiling range	Undetermined. : -44 °C
· Flash point:	-97 °C
Flammability (solid, gas):	Extremely flammable liquefied gas.
Ignition temperature:	365 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
Explosion limits:	
Lower:	1.5 Vol %
Upper:	10.9 Vol %
Vapour pressure at 20 °C:	5000 hPa
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
VOC (EC)	83 %
9.2 Other information	No further relevant information available.

## **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

*Thermal decomposition / conditions to be avoided:* 

No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)

Printing date 30.03.2019

Version number 2

Revision: 30.03.2019

Trade name: Maxima Oil Spray

(Contd. of page 5)

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation
- Based on available data, the classification criteria are not met.
- Sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- $\cdot$  **Reproductive toxicity** Based on available data, the classification criteria are not met.
- $\cdot$  **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Not hazardous for water.
- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

#### · European waste catalogue

16 00 00 WASTES NOT OTHERWISE SPECIFIED IN THE LIST

16 05 00 gases in pressure containers and discarded chemicals

(Contd. on page 7)

Printing date 30.03.2019 Version number 2 Revision: 30.03.2019 Trade name: Maxima Oil Spray (Contd. of page 6) 16 05 04 gases in pressure containers (including halons) containing dangerous substances · Uncleaned packaging: • *Recommendation: Disposal must be made according to official regulations.* **SECTION 14: Transport information** · 14.1 UN-Number · ADR, IMDG, IATA UN1950 • 14.2 UN proper shipping name · ADR 1950 AEROSOLS ·IMDG AEROSOLS AEROSOLS, flammable  $\cdot IATA$ · 14.3 Transport hazard class(es) · ADR · Class 2 5F Gases. 2.1 · Label · IMDG, IATA 2.1 · Class · Label 2.1 · 14.4 Packing group · ADR, IMDG, IATA Void · 14.5 Environmental hazards: No · Marine pollutant: • 14.6 Special precautions for user Warning: Gases. • Danger code (Kemler): F-D, S-U· EMS Number: • 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. (Contd. on page 8) GB

Printing date 30.03.2019

Version number 2

Revision: 30.03.2019

Trade name: Maxima Oil Spray

	(Contd. of pag
Transport/Additional information:	
ADR	
Excepted quantities (EQ):	E0
Limited quantities (LQ)	1L
Excepted quantities $(\widetilde{E}Q)$	Code: E0
· · · · ·	Not permitted as Excepted Quantity
Transport category	2
Tunnel restriction code	D
IMDG	
Limited quantities (LQ)	1L
Excepted quantities $(\widetilde{E}Q)$	Code: E0
	Not permitted as Excepted Quantity
UN "Model Regulation":	UN1950, AEROSOLS, 2.1

### **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008 GHS label elements
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

· Department issuing SDS: Regulatory Affairs Europe

• *Contact:* cbdeurope@henryschein.com

#### • Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 9)

GB

Printing date 30.03.2019

Version number 2

Revision: 30.03.2019

(Contd. of page 8)

GB

#### Trade name: Maxima Oil Spray

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Gas 1: Flammable gases – Category 1 Aerosol 1: Aerosols – Category 1 Press. Gas C: Gases under pressure – Compressed gas • \* Data compared to the previous version altered.