Date printed 02.04.2019, Revision 02.04.2019

Henry Schein Inc.

HENRY SCHEIN®

Version 06. Supersedes version: 05

Page 1 / 10

1.1	Product identifier		
		Instant fix, 10g (English G Article number: 9001840	German)
1.2	Relevant identified uses	of the substance or mixture and uses	advised against
1.2.1	I Relevant uses		
		Adhesive	
1.2.2	2 Uses advised against		
	-	None known.	
1.3	Details of the supplier o	f the safety data sheet	
-	Company	Authorized EU Representative:	Contact :
	Henry Schein Inc.	Henry Schein Services GmbH	cbdeurope@henryschein.com
	135 Duryea Road	Monzastrasse 2a	www.henryscheinbrand.com
	Melville, NY 11747 / USA	63225 Langen / Germany	Tel: +49 6103 757 5000
	Address enquiries to		
	Technical information	Regulatory Affairs Europe - cbde	europe@henryschein.com
	SAIDTV LISTS & DAA*		
	Safety Data Sheet		
1.4	Safety Data Sheet Emergency telephone n	umber +49 (0)6132 84463 - GBK Gmb	oH (24h 7d/w - 365d/a
1.4	-	umber +49 (0)6132 84463 - GBK Gmb	oH (24h 7d/w - 365d/a
-	-		H (24h 7d/w - 365d/a
	Emergency telephone n		·
SEC	Emergency telephone n	ation	No 1272/2008] eye irritation. itation.
SEC	Emergency telephone n	eation Distance or mixture [REGULATION (EC) Eye Irrit. 2: H319 Causes serious Skin Irrit. 2: H315 Causes skin irri	No 1272/2008] eye irritation. itation.
SEC 2.1	Emergency telephone n TION 2: Hazards identific Classification of the sub	eation Distance or mixture [REGULATION (EC) Eye Irrit. 2: H319 Causes serious Skin Irrit. 2: H315 Causes skin irri STOT SE 3: H335 May cause res	No 1272/2008] eye irritation. itation.
SEC 2.1	Emergency telephone n TION 2: Hazards identific Classification of the sub	eation Distance or mixture [REGULATION (EC) Eye Irrit. 2: H319 Causes serious Skin Irrit. 2: H315 Causes skin irri STOT SE 3: H335 May cause res	No 1272/2008] eye irritation. itation. spiratory irritation.
SEC 2.1	Emergency telephone n TION 2: Hazards identific Classification of the sub	eation Distance or mixture [REGULATION (EC) Eye Irrit. 2: H319 Causes serious Skin Irrit. 2: H315 Causes skin irri STOT SE 3: H335 May cause res	No 1272/2008] eye irritation. itation. spiratory irritation.
SEC 2.1	Emergency telephone n TION 2: Hazards identific Classification of the sub Label elements Hazard pictograms	eation Destance or mixture [REGULATION (EC) Eye Irrit. 2: H319 Causes serious Skin Irrit. 2: H315 Causes skin irri STOT SE 3: H335 May cause res The product is required to be laber	No 1272/2008] eye irritation. itation. spiratory irritation.
SEC 2.1	Emergency telephone n TION 2: Hazards identific Classification of the sub Label elements Hazard pictograms Signal word	eation Distance or mixture [REGULATION (EC) Eye Irrit. 2: H319 Causes serious Skin Irrit. 2: H315 Causes skin irri STOT SE 3: H335 May cause res The product is required to be laber WARNING	No 1272/2008] e eye irritation. itation. spiratory irritation. elled in accordance with regulation (EC) No 1272/2008 (CLP)
SEC 2.1	Emergency telephone n TION 2: Hazards identific Classification of the sub Label elements Hazard pictograms Signal word Contains:	eation Destance or mixture [REGULATION (EC) Eye Irrit. 2: H319 Causes serious Skin Irrit. 2: H315 Causes skin irrit STOT SE 3: H335 May cause res The product is required to be laber WARNING Ethyl-2-cyanoacrylate H319 Causes serious eye irritation H315 Causes skin irritation. H335 May cause respiratory irritat P101 If medical advice is needed P102 Keep out of reach of childrer P261 Avoid breathing vapours. P271 Use only outdoors or in a w P280 Wear protective gloves / eye P305+P351+P338 IF IN EYES: R contact lenses, if present and eas P337+P313 If eye irritation persis P312 Call a POISON CENTER / of P405 Store locked up.	No 1272/2008] eye irritation. itation. spiratory irritation. elled in accordance with regulation (EC) No 1272/2008 (CLP) on. tion. I, have product container or label at hand. en. rell-ventilated area. re protection / face protection. Rinse cautiously with water for several minutes. Remove sy to do. Continue rinsing. tts: Get medical advice / attention.

Date printed 02.04.2019, Revision 02.04.2019



Version 06. Supersedes version: 05 Page 2 / 10

#### 2.3 Other hazards

Human health dangers Other hazards People who are allergic to cyanacrylates should avoid the use of the product. No particular hazards known.

#### SECTION 3: Composition / Information on ingredients

#### Product-type:

#### The product is a mixture.

Range [%]	Substance
70 - 90	Ethyl-2-cyanoacrylate
	CAS: 7085-85-0, EINECS/ELINCS: 230-391-5, EU-INDEX: 607-236-00-9, Reg-No.: 01-2119527766-29-XXXX
	GHS/CLP: STOT SE 3: H335 - Eye Irrit. 2: H319 - Skin Irrit. 2: H315
0,01 - < 0,1 1,4-Dihydroxybenzene	
	CAS: 123-31-9, EINECS/ELINCS: 204-617-8, EU-INDEX: 604-005-00-4
	GHS/CLP: Carc. 2: H351 - Muta. 2: H341 - Acute Tox. 4: H302 - Eye Dam. 1: H318 - Skin Sens. 1: H317 - Aquatic Acute 1: H400, M = 10

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%. For full text of H-statements: see SECTION 16.

#### SECTION 4: First aid measures

4.1

Description of first aid measur	es
General information	Take off contaminated clothing and wash before reuse.
Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
Skin contact	In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists. Do not pull solidified product from skin forcibly.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Do not open bonded eyelids forcibly and without any special care.
Ingestion	Get medical advice. Do not induce vomiting. Do not give anything to drink. The product will polymerise immediately in the mouth, making it almost impossible to swallow, but beware of possible choking hazard. Ensure breathing passages are not obstructed. Saliva will separate the solidified product from the mouth over a period of hours. Do not try to pull the polymerised adhesive from the mouth. Keep checking the mouth to ensure that the person doesn't swallow it when it detaches.

#### 4.2 Most important symptoms and effects, both acute and delayed

Cyanoacrylates give off heat on solidification. Gross contamination with the adhesive may generate enough heat to cause a burn. Burns should be treated normally after the polymer has been removed gently from the skin. If the person experiences a burning sensation flood the contaminated akin immediately with plenty of cold water to cool the burn. continue to remove the adhesive by gently peeling or rolling it from the skin whilst soaking the contaminated area in cold water. It will take longer to remove the adhesive with cold water but it will still be effective. Accidental bonding of clothing with cyanoacrylate adhesive on the human skin: If the cyanoacrylate adhesive has been splashed on the clothing and has soaked through to the skin the clothing should never be forcibly removed from the skin. If the clothing has bonded directly on the skin and the person isn't experiencing a burning sensation the affected area should be soaked with warm soapy water and the clothing removed gently by peeling or rolling back. Cold water should be used in cases where there is any burning sensation. Forcible removal of bonded clothing from the skin could lead to mechanical damage occuring to the skin and this could result in a more severe injury.



HENRY SCHEIN®

Date printed 02.04.2019, Revision 02.04.2019

Version 06. Supersedes version: 05

Page 3 / 10

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Forward this sheet to the doctor.

SEC	SECTION 5: Fire-fighting measures		
5.1	Extinguishing media		
	Suitable extinguishing media	Carbon dioxide. Water spray jet. Sand. Dry powder.	
	Extinguishing media that must not be used	Full water jet.	
5.2	Special hazards arising from the	substance or mixture	
		Carbon monoxide (CO). Risk of formation of toxic pyrolysis products.	
5.3	Advice for firefighters		
	-	Do not inhale explosion and/or combustion gases. Use self-contained breathing apparatus.	
		Collect contaminated firefighting water separately, must not be discharged into the drains. Cool containers at risk with water spray jet.	
SEC	TION 6: Accidental release measu	ires	
6.1	Personal precautions, protective	equipment and emergency procedures	
		Ensure adequate ventilation. Keep away from all sources of ignition. Forms slippery surfaces with water. Use breathing apparatus if exposed to vapours/dust/aerosol.	
6.2	Environmental precautions		
		Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.	
6.3	Methods and material for contair	nment and cleaning up	
		Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous earth).	
		Dispose of absorbed material in accordance within the regulations.	
6.4	Reference to other sections		
<b>0</b> =-		See SECTION 8+13	
SEC	TION 7: Handling and storage		
7.1	Precautions for safe handling		
		Use only in well-ventilated areas. Avoid spilling or spraying in enclosed areas.	
		Highly volatile, flammable components are liberated in processing. Keep away from all sources of ignition - Refrain from smoking.	
		Do not eat, drink or smoke when using this product. After worktime and before work breaks the affected skin areas must be thoroughly cleaned. Use barrier skin cream. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse.	



Date printed 02.04.2019, Revision 02.04.2019



Version 06. Supersedes version: 05

Page 4 / 10

#### 7.2 Conditions for safe storage, including any incompatibilities

Only use containers that are approved specifically for the substance/product. Provide solvent-resistant and impermeable floor.

Do not store together with oxidizing agents.

Protect from heat/overheating. Keep container in a well-ventilated place. Keep container tightly closed.

#### 7.3 Specific end use(s)

See product use, SECTION 1.2

#### SECTION 8: Exposure controls / personal protection

#### 8.1 Control parameters

## Ingredients with occupational exposure limits to be monitored (GB)

Substance
Ethyl-2-cyanoacrylate
CAS: 7085-85-0, EINECS/ELINCS: 230-391-5, EU-INDEX: 607-236-00-9, Reg-No.: 01-2119527766-29-XXXX
Short-term exposure (15-minute): 0,3 ppm, 1,5 mg/m <sup>3</sup>

#### DNEL

Substance	
Ethyl-2-cyanoacrylate, CAS: 7085-85-0	
Industrial, inhalative, Long-term - systemic effects: 9,25 mg/m <sup>3</sup> .	
Industrial, inhalative, Long-term - local effects: 9,25 mg/m <sup>3</sup> .	
general population, inhalative, Long-term - systemic effects: 9,25 mg/m <sup>3</sup> .	
general population, inhalative, Long-term - local effects: 9,25 mg/m <sup>3</sup> .	

#### 8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. In full contact: > 0,4 mm/ Butyl rubber, >240 min (EN 374-1/-2/-3). In splash contact: > 0,4 mm/ Nitrile rubber, >120 min (EN 374-1/-2/-3).
Skin protection	Light protective clothing.
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin.
Respiratory protection	Respiratory protection mask in the event of high concentrations. Short term: filter apparatus, filter A. (DIN EN 14387)
Thermal hazards	No information available.
Delimitation and monitoring of the environmental exposition	not determined

Date printed 02.04.2019, Revision 02.04.2019

**SECTION 9: Physical and chemical properties** 

# HENRY SCHEIN®

Version 06. Supersedes version: 05

Page 5 / 10

## 9.1 Information on basic physical and chemical properties Form liquid Color colourless Odor pungent Odour threshold No information available. pH-value [1%] not applicable

pH-value [1%]	not applicable
Boiling point [°C]	150
Flash point [°C]	87
Flammability (solid, gas) [°C]	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/ml]	1,05
Bulk density [kg/m³]	not applicable
Solubility in water	insoluble reacts with water
Partition coefficient [n-octanol/water]	No information available.
Viscosity	not applicable
Relative vapour density determined in air	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Autoignition temperature [°C]	500
Decomposition temperature [°C]	No information available.

#### 9.2 Other information

none

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

See SECTION 10.3.

#### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

#### 10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents. Reactions with water. Reactions with amines. Reactions with alcohols. Reactions with alkalies (lyes).

#### 10.4 Conditions to avoid

Strong heating.

#### 10.5 Incompatible materials

See SECTION 7

Date printed 02.04.2019, Revision 02.04.2019

HENRY SCHEIN®

Version 06. Supersedes version: 05

Page 6 / 10

#### 10.6 Hazardous decomposition products

Irritant gases/vapours.

#### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

#### Acute toxicity

Product	
ATE-mix, dermal, > 2000 mg/kg.	
ATE-mix, oral, > 5000 mg/kg.	

Substance	
1,4-Dihydroxybenzene, CAS: 123-31-9	
LD50, dermal, Rabbit: 2000 mg/kg.	
LD50, oral, Rat: 375 mg/kg.	
Ethyl-2-cyanoacrylate, CAS: 7085-85-0	
LD50, oral, Rat: > 5000 mg/kg (OECD 401).	
LD50, dermal, Rabbit: > 2000 mg/kg (OECD 402).	

Serious eye damage/irritation	Toxicological data of complete product are not available. Irritant Calculation method
Skin corrosion/irritation	Toxicological data of complete product are not available. Irritant Calculation method
Respiratory or skin sensitisation	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — single exposure	Toxicological data of complete product are not available. May cause respiratory irritation. Calculation method
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.
Mutagenicity	Based on the available information, the classification criteria are not fulfilled. Does not contain a relevant substance that meets the classification criteria.
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled. Does not contain a relevant substance that meets the classification criteria.
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled. Does not contain a relevant substance that meets the classification criteria.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	Cyanoacrylates bond skin and eyelids in seconds. In the case of large spills on the skin, superficial burns may occur - treat accordingly. There may be irritation and redness at the site of contact.
	Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

### SECTION 12: Ecological information

## 12.1 Toxicity

Substance	
1,4-Dihydroxybenzene, CAS: 123-31-9	
LC50, (96h), fish: 638 µg/L.	
EC50, (72h), Algae: 33 - 330 µg/L.	
EC50, (48h), Invertebrates: 61 - 134 µg/L.	

Date printed 02.04.2019, Revision 02.04.2019



Version 06. Supersedes version: 05

Page 7 / 10

#### 12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not applicable
Biological degradability	not applicable

#### 12.3 Bioaccumulative potential

No evidence for bioaccumulation potential.

#### 12.4 Mobility in soil

Cured product is immobile.

#### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

#### 12.6 Other adverse effects

Ecological data of complete product are not available. Do not discharge product unmonitored into the environment. Do not allow product to reach the drainage.

#### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Waste material c It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

	Product			
		Dispose of as hazardous waste.		
	Waste no. (recommended)	080409*		
	Contaminated packaging			
		Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.		
	Waste no. (recommended)	150110*		
SEC	SECTION 14: Transport information			
14.1	UN number			
	Transport by land according to ADR/RID	not applicable		
	Inland navigation (ADN)	not applicable		
	Marine transport in accordance with IMDG	not applicable		
	Air transport in accordance with IATA	3334		



Date printed 02.04.2019, Revision 02.04.2019 Version 06. Supersedes version: 05 Page 8 / 10 14.2 UN proper shipping name Transport by land according to NO DANGEROUS GOODS ADR/RID Inland navigation (ADN) NO DANGEROUS GOODS Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS" IMDG Air transport in accordance with IATA Aviation regulated liquid, n.o.s. (Cyanoacrylates)[only for more then 0,5l] - Label ЛЪ 14.3 Transport hazard class(es) Transport by land according to not applicable ADR/RID Inland navigation (ADN) not applicable Marine transport in accordance with not applicable IMDG Air transport in accordance with IATA 9 14.4 Packing group Transport by land according to not applicable ADR/RID Inland navigation (ADN) not applicable Marine transport in accordance with not applicable IMDG Air transport in accordance with IATA III 14.5 Environmental hazards Transport by land according to no ADR/RID Inland navigation (ADN) no Marine transport in accordance with no IMDG Air transport in accordance with IATA no 14.6 Special precautions for user Relevant information under SECTION 6 to 8.

#### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

Date printed 02.04.2019, Revision 02.04.2019

## HENRY SCHEIN®

Version 06. Supersedes version: 05

Page 9 / 10

SECTION 15: Regulate	ory information		
15.1 Safety, health an	Safety, health and environmental regulations/legislation specific for the substance or mixture		
EEC-REGULATION	S	1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014	
TRANSPORT-REG	JLATIONS	ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2019)	
NATIONAL REGUL	ATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011).	
- Observe employ for people	ment restrictions	Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.	
- VOC (2010/75/CE	)	0%	
15.2 Chemical safety	assessment		
		For the following substances of this preparation a chemical safety assessment has been carried out:	
SECTION 16: Other in	formation		
16.1 Hazard statemen (SECTION 03)	ts		
		H400 Very toxic to aquatic life. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H302 Harmful if swallowed. H341 Suspected of causing genetic defects.	

H400 Very toxic to aquatic life.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H302 Harmful if swallowed.
H341 Suspected of causing genetic defects.
H351 Suspected of causing cancer.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

#### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises

dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

**Dangerous Chemicals in Bulk** IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

LC50 = Lethal concentration, 50%

- LD50 = Median lethal dose
- LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value - time-weighted average

TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

1

Date printed 02.04.2019, Revision 02.04.2019

HENRY SCHEIN®

Version 06. Supersedes version: 05 Page 10 / 10

16.3	Other information	
	Customs Tariff	not determined
	Classification procedure	Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method) Skin Irrit. 2: H315 Causes skin irritation. (Calculation method) STOT SE 3: H335 May cause respiratory irritation. (Calculation method)
	Modified position	none
		Copyright: Chemiebüro®