Printing date 23.10.2019 Version number 4 Revision: 09.10.2019 SECTION 1: Identification of the substance/mixture and of the company/ undertaking · 1.1 Product identifier • Trade name: SafeR Instrument Concentrate 2L / 5L REF: 9792535 / 9792536 · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. • Application of the substance / the mixture Disinfectants for instruments • 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Contact : · CB Healthcare Consulting GmbH info@dehpbrand.com · Am Neumarkt 34 www.dehpbrand.com · 22041 Hamburg / Germany Tel.: +49 (0)40 656680 · Responsible for the Safety Data Sheet: Regulatory Affairs Europe - info@dehpbrand.com · 1.4 Notfallnummer Emergency Number: +49 (0)6132 84463 - GBK GmbH (24h 7d/w - 365d/a) **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. GHS09 environment

Aquatic Acute 1H400 Very toxic to aquatic life.Aquatic Chronic 2H411 Toxic to aquatic life with long lasting effects.

GHS07

Acute Tox. 4 H302 Harmful if swallowed.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.


(Contd. on page 2)

Printing date 23.10.2019

Version number 4

Revision: 09.10.2019





· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

	didecyldimethylammonium chloride	2.5-10%
EINECS: 230-525-2	Skin Corr. 1B, H314; 🚯 Aquatic Chronic 2, H411; 🚯 Acute Tox. 4, H302	
	N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	2.5-10%
EINECS: 219-145-8	♦ Acute Tox. 3, H301; ♦ STOT RE 2, H373; ♦ Skin Corr. 1A, H314; ♦ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	

Printing date 23.10.2019

Version number 4

Revision: 09.10.2019

Trade name: SafeR Instrument Concentrate 2L / 5L

		(Contd. of page 2)
CAS: 68439-49-6	Fettalkoholpolyglykolether	<i>≤</i> 2.5%
	() <i>Eye Irrit. 2, H319</i>	
CAS: 139-33-3	disodium dihydrogenethylenediaminetetraacetate	<i>≤</i> 2.5%
EINECS: 205-358-3	🚸 STOT RE 2, H373; 🚸 Acute Tox. 4, H332	
Additional informat	one For the wording of the listed hazard physics refer to	anotion 16

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- *General information: Immediately remove any clothing soiled by the product.* • *After inhalation:*
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

• After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing:

Call for a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

• **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:
- Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

GB

Printing date 23.10.2019

Version number 4

Revision: 09.10.2019

(Contd. of page 3)

Trade name: SafeR Instrument Concentrate 2L / 5L

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

 \cdot 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling Keep receptacles tightly sealed.

· Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Keep container tightly sealed.

Store in upright position.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• *Additional information:* The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Personal protective equipment:

• General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

• **Respiratory protection:** Not required.

(Contd. on page 5)

Printing date 23.10.2019

Version number 4

Revision: 09.10.2019

Trade name: Instrument disinfection VIREX BASIC Conc. ID 200

(Contd. of page 4)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:

Rubber gloves

• For the permanent contact gloves made of the following materials are suitable: Polychloropren - CR (0,5 mm): Durchbruchzeit > 4 h Nitrilkautschuk/Nitrillatex - NBR (0,35 mm): Durchbruchzeit > 4h Butylkautschuk - Butyl (0,5 mm): Durchbruchzeit > 8 h Fluorkautschuk - FKM (0, 4 mm): Durchbruchzeit > 8 h Polyvinylchlorid - PVC (0,5 mm): Durchbruchzeit > 4 hDiese Empfehlung beruht ausschließlich auf der chemischen Verträglichkeit und dem Test nach EN 374 unter Laborbedingungen. Je nach Anwendung können sich unterschiedliche Anforderungen ergeben. Daher sind zusätzlich die Empfehlungen des Schutzhandschuhlieferanten zu berücksichtigen. • As protection from splashes gloves made of the following materials are suitable: Natural rubber, NR Butyl rubber, BR Fluorocarbon rubber (Viton) • Eye protection:

Safety glasses



Tightly sealed goggles

(Contd. on page 6)

Printing date 23.10.2019

Version number 4

Trade name: SafeR Instrument Concentrate 2L / 5L

(Contd. of page 5)

9.1 Information on basic physical and c	chemical properties
General Information	
Appearance: Form:	
rorm: Colour:	Fluid
Odour:	According to product specification Amine-like
Odour threshold:	Not determined.
	>10
pH-value at 20 °C:	>10
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	2: 0 °C
Flash point:	>100 °C
Flammability (solid, gas):	Not applicable.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density at 20 °C:	1.01 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	0.0 %
Water:	>80 %
VOC (EC)	0 %
9.2 Other information	No further relevant information available.

(Contd. on page 7)

Printing date 23.10.2019

Version number 4

Revision: 09.10.2019

Trade name: SafeR Instrument Concentrate 2L / 5L

(Contd. of page 6)

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity

Harmful if swallowed.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 1,148 mg/kg

Inhalative LC50/4 h 733 mg/l

7173-51-5 didecyldimethylammonium chloride

Oral LD50 500 mg/kg (ATE)

2372-82-9 N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine

Oral LD50 100 mg/kg (ATE)

139-33-3 disodium dihydrogenethylenediaminetetraacetate

Inhalative LC50/4 h 11 mg/l (ATE)

· Primary irritant effect:

· Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.

· Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

• Germ cell mutagenicity Based on available data, the classification criteria are not met.

• Carcinogenicity Based on available data, the classification criteria are not met.

• *Reproductive toxicity Based on available data, the classification criteria are not met.*

• STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 8)

Printing date 23.10.2019

Version number 4

tion

Revision: 09.10.2019

Trade name: SafeR Instrument Concentrate 2L / 5L

(Contd. of page 7)

SECTION	12: Ecol	ogical	informa

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark:

Very toxic for fish

- Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

Toxic for aquatic organisms

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

• **vPvB:** Not applicable.

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

• 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue		
07 00 00	07 00 00 WASTES FROM ORGANIC CHEMICAL PROCESSES	
07 06 00	wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics	
07 06 99	wastes not otherwise specified	
	(Contdon page 9)	

(Contd. on page 9)

Printing date 23.10.2019

Version number 4

Revision: 09.10.2019

Trade name: SafeR Instrument Concentrate 2L / 5L

(Contd. of page 8)

· Uncleaned packaging:

*

• *Recommendation:* Disposal must be made according to official regulations.

· 14.1 UN-Number · ADR, IMDG, IATA	UN1903
· <i>14.2 UN proper shipping name</i> · <i>ADR</i>	1903 DISINFECTANT, LIQUID, CORROSIV N.O.S. (N-(3-aminopropyl)-N-dodecylpropan 1 , 3 - d i a m i n e Didecylmethylpolyoxyethylammoniumpropion t)
· IMDG, IATA	l) DISINFECTANT, LIQUID, CORROSIV N.O.S. (N-(3-aminopropyl)-N-dodecylpropar 1,3-diamine, didecyldimethylammoniu chloride)
· 14.3 Transport hazard class(es)	
ADR	
Class	8 Corrosive substances. Corrosive substances.
· Label	Corrosive substances. 8
IMDG	
· Class	8 Corrosive substances.
· Label	8
· Class	8 Corrosive substances.
· Label	8

Printing date 23.10.2019

Version number 4

Trade name: SafeR Instrument Concentrate 2L / 5L

	(Contd. of page 9
· 14.4 Packing group · ADR, IMDG, IATA	III
 14.5 Environmental hazards: Marine pollutant: 	Yes Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
 14.6 Special precautions for user Danger code (Kemler): EMS Number: 	Warning: Corrosive substances. 80 F-A,S-B
• 14.7 Transport in bulk according to Anne of Marpol and the IBC Code	ex II Not applicable.
• Transport/Additional information:	
· ADR · Excepted quantities (EQ): · Limited quantities (LQ)	E1 5L
· Excepted quantities (EQ)	- Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
• Transport category • Tunnel restriction code	3 E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30
	ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN1903, DISINFECTANT, LIQUID CORROSIVE, N.O.S., 8, III

*

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008 GHS label elements
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category E1 Hazardous to the Aquatic Environment

(Contd. on page 11)

Printing date 23.10.2019

Version number 4

Revision: 09.10.2019

Trade name: SafeR Instrument Concentrate 2L / 5L

(Contd. of page 10)

- \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t • REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· Regulation (EU) No 649/2012

7173-51-5 didecyldimethylammonium chloride

Annex I Part 1

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Customs tariff No.: 3808 94 90

· Relevant phrases

H301 Toxic if swallowed. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. · Recommended restriction of use Product only for professional use • Department issuing SDS: Regulatory Affairs Europe · Contact: info@dehpbrand.com · Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO) International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Corr. 1B: Skin corrosion/irritation – Category 1 (Contd. on page 12)

Printing date 23.10.2019

Version number 4

Revision: 09.10.2019

Trade name: SafeR Instrument Concentrate 2L / 5L

(Contd. of page 11)

GB

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 • * Data compared to the previous version altered.