

according to Regulation (EC) No 1907/2006

Safe-ST Surface Disinfection (including variants)

Revision date: 07.06.2018

Product code: 00320-0101-GHS

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Safe-ST Surface Disinfection (including variants)

REF: 9797729 / 9797730 / 9796048 / 9796046

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture Disinfectant cleaning agent

1.3. Details of the supplier of the safety data sheet

Firmenname:	CB Healthcare Consulting GmbH
Straße:	Am Neumarkt 34
Ort:	22041 Hamburg, Germany
Telefon:	+49 40 656680
E-Mail:	info@dehpbrand.com
Auskunftgebender Bereich:	Verantwortlich für das Sicherheitsdatenblatt: sds@gbk-ingelheim.de
	INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Flammable liquid: Flam. Liq. 3 Hazard Statements: Flammable liquid and vapour.

2.2. Label elements

Regulation (EC) No. 1272/2008

Signal word:

Pictograms:



Warning

Hazard statements

H226

Flammable liquid and vapour.

Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
P233	Keep container tightly closed.
P260	Do not breathe vapour.
P271	Use only outdoors or in a well-ventilated area.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501	Dispose of contents/container to approved disposal company or local collection.

2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

Vapours may form explosive mixture with air.

Revision No: 3,0







according to Regulation (EC) No 1907/2006

Safe-ST Surface Disinfection (including variants)

Revision date: 07.06.2018

Product code: 00320-0101-GHS

Page 2 of 9

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Alcoholic solution

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification	•	-	
64-17-5	Ethanol			< 50 %
	200-578-6	603-002-00-5	01-2119457610-43	
	Flam. Liq. 2, Eye Irrit.	2; H225 H319		

Full text of H and EUH statements: see section 16.

Further Information

Specific concentration limits Ethanol C > 50% => H319

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated soaked clothing immediately. If you feel unwell, seek medical advice.

After inhalation

Move to fresh air in case of accidental inhalation of vapours. In the event of symptoms refer for medical treatment.

After contact with skin

Wash with water and soap as a precaution.

After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, consult a specialist.

After ingestion

Do not induce vomiting. Rinse out mouth and give plenty of water to drink. Never give anything by mouth to an unconscious person. Summon a doctor immediately. Induce vomiting only upon the advice of a physician.

4.2. Most important symptoms and effects, both acute and delayed

Watch out. Beware, hazard of foam aspiration. Contact with eyes may cause irritation. Inhalation of vapours in high concentration can cause narcotic effects. May cause irritation of the mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptoms.

SECTION 5: Firefighting measures

Revision No: 3.0







according to Regulation (EC) No 1907/2006

Safe-ST Surface Disinfection (including variants)

Revision date: 07.06.2018

Product code: 00320-0101-GHS

Page 3 of 9

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, dry chemical, carbon dioxide (CO2), water-spray.

Unsuitable extinguishing media

Full water jet.

5.2. Special hazards arising from the substance or mixture

Fire may produce:

carbon monoxide and carbon dioxide

5.3. Advice for firefighters

Use breathing apparatus with independent air supply. Protective suit.

Additional information

Vapours are heavier than air and spread along ground. The vapour/air mixture is explosive, even in empty, uncleaned receptacles. Cool containers at risk with water spray jet. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

In case of vapour formation use respirator. Ensure adequate ventilation. Use personal protective clothing. Keep away sources of ignition.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder). Shovel into suitable container for disposal.

6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8). Information for disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep container tightly closed. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing.

Advice on protection against fire and explosion

Do not smoke - volatile. Do not spray on a naked flame or any other incandescent material.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.

Hints on joint storage

Incompatible with oxidizing agents.

Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

GB - EN



Print date: 02.07.2019



according to Regulation (EC) No 1907/2006

Safe-ST Surface Disinfection (including variants)

Revision date: 07.06.2018

Product code: 00320-0101-GHS

Page 4 of 9

7.3. Specific end use(s)

Disinfectant cleaning agent

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL

8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

Protective and hygiene measures

Do not inhale vapours.

Wash hands before breaks and at the end of workday.

When using do not eat, drink or smoke.

Avoid contact with skin, eyes and clothing.

Remove and wash contaminated clothes before re-use.

Eye/face protection

If used properly, no need to wear eye protection. Otherwise wear protective goggles with integrated side shields.

Hand protection

Also suitable are gloves made of: Polychloropren - CR (0,5 mm): Breakthrough time > 4 h Nitrile rubber/nitrile latex - NBR (0,35 mm): Breakthrough time > 4 h Butyl rubber - Butyl (0,5 mm): Breakthrough time > 8 h Fluoro-rubber - FKM (0.4 mm): Breakthrough time > 8 h Polyvinyl chloride - PVC (0.5 mm): Breakthrough time > 4 h This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions. Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Skin protection

Long sleeved clothing (DIN EN ISO 6530)

Respiratory protection

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment (gas filter type A) (EN 14387).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	Colourless
Odour:	Alcoholic

pH-Value (at 20 °C):

Test method

6 - 8

Changes in the physical state







according to Regulation (EC) No 1907/2006

Safe-ST Surface Disinfection (including variants)				
Revision date: 07.06.2018Product code: 00320-0101-GHSProduct code: 00320-0101-GHS				
Melting point:	< - 10 °C			
Initial boiling point and boiling range:	approx. 85 °C			
Flash point:	24 °C			
Lower explosion limits:	3,4 vol. %			
Upper explosion limits:				
Ignition temperature:	> 425 °C			
Density (at 20 °C):	0,92 - 0,93 g/cm³			
Water solubility: (at 20 °C)	Miscible			
Solvent content:	< 50 %			
9.2. Other information				

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No decomposition if stored and applied as directed.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4. Conditions to avoid

Vapour/air mixtures are explosive at intensive warming. Heating can release vapours which can be ignited.

10.5. Incompatible materials

oxidizing agents

10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met. No toxicological data available.

Ethanol

LD50/oral/rat: 6200 mg/kg LC50/inhalation/rat: 95,6 mg/l/4 h

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.





according to Regulation (EC) No 1907/2006

Safe-ST Surface Disinfection (including variants)

Revision date: 07.06.2018

Product code: 00320-0101-GHS

Page 6 of 9

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

Practical experience

Other observations

Contact with eyes may cause irritation. Inhalation of vapours in high concentration can cause narcotic effects.

Components of the product may be absorbed into the body through the skin.

May cause irritation of the mucous membranes.

Further information

Skin compatibility of this product proved with dermatological certificate.

SECTION 12: Ecological information

12.1. Toxicity

Ecological data are not available. Ethanol

LC50/Salmo gairdneri/24 h = 11200 mg/l NOEC/Fish = 250 mg/l [OECD 212] EC50/Ceriodaphnia dubia/48 h = 5012 mg/l EC50/Artemia salina/48 h = 857 mg/l NOEC/Ceriodaphnia dubia/10 d = 9,6 mg/l NOEC/Palaemonetes pugio = 79 mg/l EC50/Chlorella vulgaris/72 h = 275 mg/l EC10/Chlorella vulgaris/72 h = 11,5 mg/l EC50/Heterosigma akashiwo/96 h = 1900 mg/l EC50/Paramaecium caudatum/4 h = 5800 mg/l

12.2. Persistence and degradability

No data available Ethanol: Readily biodegradable (to OECD criteria).

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

12.6. Other adverse effects

Low hazard to waters.

Further information

Product is not allowed to discharge into the ground water or aquatic environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Where possible recycling is preferred to disposal. Can be incinerated, when in compliance with local regulations.







according to Regulation (EC) No 1907/2006

Safe-ST Surface Disinfection (including variants)

Revision date: 07.06.2018

Product code: 00320-0101-GHS

Page 7 of 9

Waste disposal number of waste from residues/unused products 070601 WASTES FROM ORGANIC CHEMICAL PROCESSE

WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors; hazardous waste

Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	UN 1987
14.2. UN proper shipping name:	ALCOHOLS, N.O.S. (Ethanol)
<u>14.3. Transport hazard class(es):</u>	3
14.4. Packing group:	III
Hazard label:	3
Classification code:	F1
Limited quantity:	5 L / 30 kg
Excepted quantity:	E1
Transport category:	3
Hazard No:	30
Tunnel restriction code:	D/E
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	UN 1987
14.2. UN proper shipping name:	ALCOHOLS, N.O.S. (Ethanol)
14.3. Transport hazard class(es):	3
14.4. Packing group:	III
Hazard label:	3
Classification code:	F1
Limited quantity:	5 L / 30 kg
Excepted quantity:	E1
Marine transport (IMDG)	
<u>14.1. UN number:</u>	UN 1987
14.2. UN proper shipping name:	ALCOHOLS, N.O.S. (Ethanol)
<u>14.3. Transport hazard class(es):</u>	3
14.4. Packing group:	III
Hazard label:	3

Revision No: 3,0

GB - EN





according to Regulation (EC) No 1907/2006

Safe-ST Surface Disinfection (including variants)			
Revision date: 07.06.2018	Product code: 00320-0101-GHS F	age 8 of 9	
Marine pollutant:	No		
Limited quantity:	5 L / 30 kg		
Excepted quantity: EmS:	E1 F-E, S-D		
Air transport (ICAO-TI/IATA-DGR)	Т- <u>с</u> , 0-D		
14.1. UN number:	UN 1987		
14.2. UN proper shipping name:	ALCOHOLS, N.O.S. (Ethanol)		
<u>14.3. Transport hazard class(es):</u>	3		
14.4. Packing group:	III		
Hazard label:	3		
Limited quantity Passenger:	10 L		
Passenger LQ:	Y344		
Excepted quantity:	E1 255		
IATA-packing instructions - Passenger: IATA-max. quantity - Passenger:	355 60 L		
IATA-packing instructions - Cargo:	366		
IATA-max. quantity - Cargo: 14.5. Environmental hazards	220 L		
ENVIRONMENTALLY HAZARDOUS: 14.6. Special precautions for user	no		
Take the usual precautions when ha	ndling with chemicals.		
14.7. Transport in bulk according to Anne			
The transport takes place only in app	proved and appropriate packaging.		
SECTION 15: Regulatory information			
15.1. Safety, health and environmental reg	ulations/legislation specific for the substance or mixture		
EU regulatory information			
2004/42/EC (VOC):	45 %		
Information according to 2012/18/EU (SEVESO III):	P5c FLAMMABLE LIQUIDS		
National regulatory information			
Employment restrictions:	Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.		
Water contaminating class (D):	1 - slightly water contaminating		
15.2. Chemical safety assessment			
For this substance a chemical safety	assessment has not been carried out.		
SECTION 16: Other information			





according to Regulation (EC) No 1907/2006

Safe-ST Surface Disinfection (including variants)

Revision date: 07.06.2018

Product code: 00320-0101-GHS

Page 9 of 9

Changes

Changes in chapter: 2, 3, 12, 15

Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

- RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
- ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure IMDG = International Maritime Code for Dangerous Goods
- IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

- IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk
- GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.

- H226 Flammable liquid and vapour.
- H319 Causes serious eye irritation.

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

